


MIRA

MULTITOUCH SELF-ORDER KIOSK





PCAP MULTITOUCH DISPLAY

Smartphone-like touch experience.



ADDITIONAL GADGETS FOR RETAIL

Payment interfaces, scanner, face-recognition analytics, printer, and many more.



INTEGRATED MEDIAPLAYER

High performance multimedia PC (Windows).



CUSTOMIZABLE APPS

Simply download via eyefactive's AppStore.



FLEXIBLE SETUP

Use floor stand or mount kiosk to a wall.



SPECS & FEATURES

Display	
27" / 32" LCD touchscreen	
Resolution	
HD	
Touch technology	
PCAP (capacitive) / 10 touch points	
Body	
Metal	
Medioplayer	
High-performance PC included	
Software	
Touchscreen CMS <i>AppSuite</i> pre-installed	



Multitouch Self-Order Kiosk für POS



Display	Screen size	27" HD	27" HD (Max Performance)	32" HD	32" HD (Max Performance)
	Resolution	HD (1080 × 1920 px)	HD (1080 × 1920 px)	HD (1080 × 1920 px)	HD (1080 × 1920 px)
	Screen size	336,3 × 597,9 mm	336,3 × 597,9 mm	476 × 781,5 mm	476 × 781,5 mm
	Type	LCD	LCD	LCD	LCD
	Format	9:16	9:16	9:16	9:16
	Brightness	300 cd/m²	300 cd/m²	300 cd/m²	300 cd/m²
Sensor	Touch points	10	10	10	10
	Technology	PCAP	PCAP	PCAP	PCAP
	Reaction time	15 ms	15 ms	15 ms	15 ms
Housing	Material	Steel, powder-coated	Steel, powder-coated	Steel, powder-coated	Steel, powder-coated
	Colors	RAL (on request)	RAL (on request)	RAL (on request)	RAL (on request)
Printer	Printing method	Thermal printing	Thermal printing	Thermal printing	Thermal printing
	Printing speed	300 mm/s	300 mm/s	300 mm/s	300 mm/s
	Point density	180 dpi	180 dpi	180 dpi	180 dpi
	Cutter life	200 million times	200 million times	200 million times	200 million times
	Print head life	200 million lines	200 million lines	200 million lines	200 million lines
Scanner	Scan-Geschwindigkeit	30 times/sec.	30 times/sec.	30 times/sec.	30 times/sec.
	Resolution	640 × 480 pixels	640 × 480 pixels	640 × 480 pixels	640 × 480 pixels
	Reading mode	CMOS	CMOS	CMOS	CMOS
	Reading accuracy	.e 10 mil	.e 10 mil	.e 10 mil	.e 10 mil

Multitouch Self-Order Kiosk für POS

Display	Screen size	27" HD	27" HD (Max Performance)	32" HD	32" HD (Max Performance)
In general	Kiosk weight (approx.)	~ 27 kg	~ 27 kg	~ 38 kg	~ 38 kg
	Floor Stand weight (approx.)	~ 11 kg	~ 11 kg	~ 11 kg	~ 11 kg
	Kiosk dimensions (L × W × H)	414,5 × 106,5 × 973,9 mm	414,5 × 106,5 × 973,9 mm	463,4 × 153,5 × 1172,1 mm	463,4 × 153,5 × 1172,1 mm
	Floor Stand height	1105,8 mm	1105,8 mm	1105,8 mm	1105,8 mm
Other	Operating Hours	24/7	24/7	24/7	24/7
	Interfaces	HDMI, USB 2.0, LAN, Audio	HDMI, USB 2.0, LAN, Audio	HDMI, USB 2.0, LAN, Audio	HDMI, USB 2.0, LAN, Audio
Mediaplayer	Type	Windows Mini-PC	Ultra-Kompakt Mediaplayer PC L	Windows Mini-PC	Ultra-Kompakt Mediaplayer PC L
Software	AppSuite CMS	pre-installed	pre-installed	pre-installed	pre-installed
	eyefactive AppStore	yes	yes	yes	yes

WHY INTERACTIVE SIGNAGE TOUCHSCREEN SOLUTIONS?



AMAZE YOUR CUSTOMERS

Deliver engaging interactive experiences at point of sale, information and entertainment.



EFFECTIVE INFOTAINMENT

Combine your message with interactive infotainment to reach your audience most effectively.



SELL MORE!

Get maximum awareness for your brands, products and services.



GET IN TOUCH

Get to know your customers and generate leads with interactive forms and feedback features.



MEASURE YOUR SUCCESS

Get insights about your most successful content to continuously optimize your solution.



**ASK FOR
SPECIAL APP
BUNDLES!**



GREATER APPS. FOR GREATER TOUCH SOLUTIONS.

The first dedicated app-platform for large-scale interactive signage touchscreens.

FREE DOWNLOAD HERE:
www.multitouch-appstore.com



BUY OR RENT

For permanent installations or
temporary shows & events:

 **CONTACT US AND
GET FREE CONSULTATION!**

TOUCHSCREEN SOLUTIONS XXL

Find out more about our interactive
technologies and products at:

 www.eyefactive.com





TOUCH FUTURE. *TOGETHER.*



 CONTACT US